


Unwanted heavy metals

| | Analysis | Setpoint | Warning |
|----------------|-----------|-------------|-------------|
| (Al) Aluminium | 8.00 µg/l | 0 - 60 µg/l | <div></div> |
| (Sb) Antimony | 0.00 µg/l | 0 µg/l | <div></div> |
| (As) Arsenic | 0.00 µg/l | 0 µg/l | <div></div> |
| (Bi) Bismuth | 0.00 µg/l | 0 µg/l | <div></div> |
| (Pb) Lead | 0.00 µg/l | 0 µg/l | <div></div> |
| (Cd) Cadmium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Cs) Caesium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Ga) Gallium | 0.00 µg/l | 0 µg/l | <div></div> |
| (In) Indium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Cu) Copper | 0.00 µg/l | 0 µg/l | <div></div> |
| (La) Lanthanum | 0.00 µg/l | 0 µg/l | <div></div> |
| (Hg) Mercury | 0.00 µg/l | 0 µg/l | <div></div> |
| (Sc) Scandium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Ag) Silver | 0.00 µg/l | 0.1 µg/l | <div></div> |
| (Se) Selenium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Te) Tellurium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Ti) Titanium | 0.00 µg/l | 0 µg/l | <div></div> |
| (W) Tungsten | 0.00 µg/l | 0 µg/l | <div></div> |
| (Sn) Tin | 0.00 µg/l | 0 µg/l | <div></div> |



Macro-Elements


| | Analysis | Setpoint | Warning |
|----------------|---------------|--------------------|-------------|
| (Cl) Chlorid | 19754.00 mg/l | 19500 mg/l | <div></div> |
| (Na) Sodium | 10957.00 mg/l | 10000 - 11300 mg/l | <div></div> |
| (Ca) Calcium | 434.00 mg/l | 415 - 520 mg/l | <div></div> |
| (Mg) Magnesium | 1309.00 mg/l | 1320 - 1500 mg/l | <div></div> |
| (K) Potassium | 399.00 mg/l | 380 - 480 mg/l | <div></div> |
| (Br) Bromide | 62.00 mg/l | 62 mg/l | <div></div> |
| (B) Boron | 4.00 mg/l | 4.5 mg/l | <div></div> |
| (F) Fluorid | 1.00 mg/l | 1.3 mg/l | <div></div> |
| (Sr) Strontium | 10.00 mg/l | 8 - 12 mg/l | <div></div> |
| (S) Sulphur | 890.00 mg/l | 900 mg/l | <div></div> |

Li-Group

| | Analysis | Setpoint | Warning |
|-----------------|-------------|----------|-------------|
| (Li) Lithium | 205.00 µg/l | 200 µg/l | <div></div> |
| (Ni) Nickel | 0.00 µg/l | 5 µg/l | <div></div> |
| (Mo) Molybdenum | 10.00 µg/l | 12 µg/l | <div></div> |

I-Group

| | Analysis | Setpoint | Warning |
|----------------|-----------|--------------|-------------|
| (V) Vanadium | 0.00 µg/l | 0 - 3 µg/l | <div></div> |
| (Zn) Zinc | 0.00 µg/l | 0 - 5 µg/l | <div></div> |
| (Mn) Manganese | 0.00 µg/l | 0 - 3 µg/l | <div></div> |
| (I) Iodine | 0.00 µg/l | 30 - 90 µg/l | <div></div> |



Fe-Group

| | Analysis | Setpoint | Warning |
|---------------|-----------|----------|-------------|
| (Cr) Chromium | 0.00 µg/l | 0 µg/l | <div></div> |
| (Co) Cobalt | 0.00 µg/l | 0 µg/l | <div></div> |
| (Fe) Iron | 0.00 µg/l | 0 µg/l | <div></div> |

Ba-Group

| | Analysis | Setpoint | Warning |
|----------------|------------|-------------|-------------|
| (Ba) Barium | 32.00 µg/l | 0 - 10 µg/l | <div></div> |
| (Be) Beryllium | 0.00 µg/l | 0 µg/l | <div></div> |

Si-Group

| | Analysis | Setpoint | Warning |
|--------------|-------------|--------------|-------------|
| (Si) Silicon | 168.00 µg/l | 0 - 200 µg/l | <div></div> |

Nutrient-Group

| | Analysis | Setpoint | Warning |
|-----------------|------------|-------------------|-------------|
| (P) Phosphorus | 15.00 µg/l | 6 - 23 µg/l | <div></div> |
| (PO4) Phosphate | 0.046 mg/l | 0.018 - 0.07 mg/l | <div></div> |

Salinity

| | Analysis | Setpoint | Warning |
|----------------|------------|----------|-------------|
| (Sal) Salinity | 34.941 PSU | 35 PSU | <div></div> |

